Boom Lift License Glendale

Boom Lift License Glendale - To be able to operate an aerial boom lift, operators should be licensed through training that could be obtained using both practical training and classroom sessions and by obtaining a boom lift license. Instruction should be given with respect to the type of aerial lift that would be used on the job. A License is required for any individual who works on or operates an aerial boom lift.

Vehicle-mounted aerial devices comprise the following work vehicles: extensible boom platforms, aerial ladders, vertical towers, articulating boom platforms, and whatever combination of these kinds.

There are several basic safety regulations which apply to all boom lifts. Worker safety whilst in the basket is a top priority. Workers should put on a body harness and lanyard attached to the basket or boom. Never tie off to an adjacent pole, structure, or equipment. Staff should stand on the floor of the basket, and never sit or climb on the basket edge. The load limitations of the manufacturer must be followed.

Aerial lift operators should be authorized to use the machinery. The operator has to be familiar with all the aspects of the device and must have access to the manufacturers instruction manual which must be kept within the lift. Operators are responsible for making certain that safety measures are followed in the operation of the lift. A daily test of lift controls must be performed. Position outriggers and set brakes (if they are used) on pads or a stable surface. If working on a slope, use wheel chocks.

The aerial lift vehicle must never be moved whilst a worker is in the basket of an elevated boom, unless they are making use of machines which are particularly designed for this. Articulating boom and extensible boom platforms made use of as employees carriers should have plainly marked, accessible, upper controls. Except in emergency cases, lower controls must not be used to override upper controls unless the individual within the lift gives permission.

While working from an aerial lift, do not wear pole or tree climbers.

The insulated part of the aerial lift must not be altered.

Make sure that the booms are thoroughly checked, that the machinery is properly cradled and the outriggers are in the stowed position before moving.

When operating a boom lift next to power lines, make sure that the lines are di-electrically tested based on local regulations.